

Slō Drinks

The safe - smooth - slōw flowing drinks for dysphagia

t: 08452 222 205

e: support@slodrinks.com

f: 08452 222 206

Data Sheet

Slō Drinks have been created for your patients with dysphagia.

It's a condition which affects your ability to swallow normally and so instead of a drink going safely into your stomach it can go into your lungs causing you to aspirate – suffer a painful and uncontrollable coughing fit.

Slō Drinks dramatically reduce the possibility of this happening being the first drinks that have been made to flow slōwly – at one of the three different speeds (consistencies) Therapists prescribe.

Supplied pre-prepared and ready to use anyone can make them just as easily as an ordinary drink because everything you need is already in the cup.

All you have to do is add water to a dashed line and stir to make a drink that's safe to swallow and meets a prescription.

Better still they are just as refreshing as ordinary juice drinks and hot drinks so your patients can enjoy drinking again *and* drink enough to maintain their essential hydration levels.

Cold Juice Drinks

Flavour	Consistency	(Common Terms)	PIP Code
Orange	1		326-7382
Blackcurrant	1	Syrup	326-7408
Lemon	1		326-7390
Orange	2		326-7341
Blackcurrant	2	Custard	326-7366
Lemon	2		326-7358
Orange	3		326-7309
Blackcurrant	3	Pudding	326-7325

Hot Drinks

Flavour	Consistency	(Common Terms)	PIP Code
Hot Chocolate	1		347-7361
White Coffee	1	Syrup	347-7221
Hot Chocolate	2		347-7379
White Coffee	2	Custard	347-7460

Unit Size:

Sleeves of 25 drinks. *When made each drink contains 115ml of fluid.*

Quantity:

Any number of flavours can be ordered at once.

Ordering:

Slō Drinks are not stocked by Wholesalers. You may be able to order via your Wholesaler 'Specials' Department.

If not contact us direct:

t: 08452 222 205

e: sales@slodrinks.com

f: 08452 222 206

Delivery:

All orders received before 2.30pm will arrive within 48 hours – Monday to Friday. Saturday delivery by arrangement.

Slō Drinks are for hydration only

They are not to be used as a sole source of nutrition. They must be used under medical supervision and are for oral consumption only.

Not to be used by under 3's.

Nutrition and Ingredient Data

Cold Juice Drinks

Orange

Nutrition

Typical Values	Per 100g	Per Cup/Consistency		
		1	2	3
Energy Kcal	373	42	48	56
kJ	1575	178	203	236
Protein (g)	0	0	0	0
Carbohydrate (g)	90	10	11	13
of which sugars	43	6	6	6
Fat (g)	0	0	0	0
of which saturates	0	0	0	0
Fibre (g)	0	0	0	0
Sodium (mg)	125	15	16	19

Ingredients

Thickener: Modified maize starch.

Flavour: Sugar, dextrose, citric acid (E330), acidity regulator (E331), flavouring, stabiliser (E466), artificial sweetener (E954), colouring (E171, E110, E124), anti-caking agent (551), tricalcium phosphate (E341c).

Lemon

Nutrition

Typical Values	Per 100g	Per Cup/Consistency		
		1	2	3
Energy Kcal	377	43	49	57
kJ	1593	181	205	239
Protein (g)	0	0	0	0
Carbohydrate (g)	91	10	12	14
of which sugars	44	6	6	7
Fat (g)	0	0	0	0
of which saturates	0	0	0	0
Fibre (g)	0	0	0	0
Sodium (mg)	53	5	6	8

Ingredients

Thickener: Modified maize starch.

Flavour: Sugar, dextrose, citric acid (E330), acidity regulator (E331), flavouring, stabiliser, artificial sweetener (E954), colouring (E171, E110, E124), anti-caking agent (551), tricalcium phosphate (E341c), saccharin.

Hot Drinks

Hot Chocolate

Nutrition

Typical Values	Per 100g	Per Cup/Consistency	
		1	2
Energy Kcal	393	57	63
kJ	1663	241	265
Protein (g)	3	1	1
Carbohydrate (g)	84	11	13
of which sugars	32	6	6
Fat (g)	5	1	1
of which saturates	5	1	1
Fibre (g)	4	1	1
Sodium (mg)	446	84	85

Ingredients

Thickener: Modified maize starch.

Hot Chocolate: Cadbury's Drinking Chocolate (Fat Reduced), milled milk crumb, sugar, dried glucose syrup, dried whey, dried skimmed milk, hydrogenated vegetable oil, salt, stabilisers, milk proteins (caseinates), flavourings, thickener, emulsifiers.

Blackcurrant

Nutrition

Typical Values	Per 100g	Per Cup/Consistency		
		1	2	3
Energy Kcal	371	42	48	56
kJ	1580	179	203	237
Protein (g)	0	0	0	0
Carbohydrate (g)	90	10	11	13
of which sugars	43	6	6	6
Fat (g)	0	0	0	0
of which saturates	0	0	0	0
Fibre (g)	0	0	0	0
Sodium (mg)	125	15	16	19

Ingredients

Thickener: Modified maize starch.

Flavour: Sugar, citric acid (E330), acidity regulator (E331), flavouring, stabiliser (E466), artificial sweetener (E954), colouring (E123, E128, E142, E122), anti-caking agent (551), tricalcium phosphate (E341c), ascorbic acid.

White Coffee

Nutrition

Typical Values	Per 100g	Per Cup/Consistency	
		1	2
Energy Kcal	178	24	30
kJ	1455	146	171
Protein (g)	6	0	0
Carbohydrate (g)	69	7	9
of which sugars	18	1	1
Fat (g)	13	1	1
of which saturates	13	1	1
Fibre (g)	0	0	0
Sodium (mg)	52	6	8

Ingredients

Thickener: Modified maize starch.

Coffee: Nescafe Gold Blend.

Whitener: Glucose syrup solids, sodium caseinate, hydrogenated vegetable oil, acidity regulators (E340, E452), emulsifiers (E471, E472B), anti caking agent (E554).

Allergens and Intolerances

Peanuts and products thereof	None	Fish and products thereof	None
Other nuts and products thereof	None	Crustaceans, molluscs and products thereof	None
Sesame seeds and products thereof	None	Mustard and products thereof	None
Soybeans and products thereof	None	Wheat and products thereof	None
Eggs and products thereof	None	Milk in White Coffee, White Tea and Hot Chocolate	✓

Your patients suffering with these conditions – can present with dysphagia as a secondary symptom. If so, they can use Slō Drinks to help them **safely** reach and maintain their essential hydration levels.

Slō Drinks are commonly used for conditions marked with *

- A** Accoustic Neuroma
- * Alzheimer's disease**
- Achalasia
- Achromatopsia
- Adenoleukodystrophy
- Amyloidosis, inflammatory
- Amyotrophic lateral sclerosis 2-8
- Arnold-Chiari Malformation Type 3
- Arsenic poisoning
- Autonomic nerve disorders
- Autonomic neuropathy
- Avelli's syndrome
- B** Bulbar palsy
- Botulism
- Bulbar paralysis
- Brain Tumours
- Babinski-Nageotte syndrome
- Barrett's oesophagus
- Basal ganglia disease, biotin responsive
- Basilar artery insufficiency syndrome
- C** Chagas' disease
- Central pontine myelinosis
- Calcinosis-Raynaud's sclerodactyl-telangiectasia syndrome
- Candida Albicans
- Cricopharyngeal dysfunction
- * Cerebral palsy**
- Cushing syndrome
- Central nervous system infections
- Canomad syndrome
- Carcinoma of the vocal tract
- Carotid Paraganglioma
- Chordoma
- Chromosome 22 Ring
- Chromosome 22 trisomy mosaic
- Congenital bronchogenic cyst
- Crohn's disease of the oesophagus
- D** Diphtheria
- Diverticulum
- Diffuse Oesophageal spasms
- Dermatomyositis
- Diffuse systemic sclersis
- Dystonia 12
- Dystonia with cerebellar atrophy
- E** Eppiglotitis
- Eagle's syndrome
- Emanuel syndrome
- F** Fosmn syndrome
- Franek-Bocker-Kahlen syndrome
- Frontotemporal dementia, ubiquitin-positive
- G** Gastric cancer
- Gastroesophageal reflux disease
- Guillain-Barre syndrome
- Gaucher disease – prenatal lethal form
- Gaucher disease type 2
- H** Hyperthyroidism
- Hypothyroidism
- * Huntington's Disease**
- Hypomagnesaemia primary
- Hypophosphate
- I** Infectious oesophagitis (e.g. as in Human Deficiency syndrome [HIV], herpes, candidiasis)
- L** Lead poisoning
- * Laryngeal carcinoma**
- Laryngeal papillomatosis
- Lhermitte-Comi-Quesnel syndrome
- Lissencephaly, type 1, X linked
- M** Myasthenia Gravis
- Medication-induced oesophagitis
- Mitochondrial neurogastrointestinal encephalopathy syndrome
- Multiple System Atrophy
- * Multiple Sclerosis**
- * Muscular Dystrophy**, Duchene and Becker type
- Myasthenic syndrome, congenital, associated with acetylcholine receptor deficiency
- N** Neuromuscular junction disorders
- Nasopharyngeal carcinoma
- * Neck cancer**
- Nemaline myopathy
- Neurosarcoidosis
- O** Odontoma
- Odontoma – Dysphagia syndrome
- * Oral pharyngeal disorders**
- Oesophageal cancer
- Oesophageal Diverticulum
- Oesophageal spasm
- Oesophagitis
- P** Pseudoadrenoleukodystrophy
- * Parkinson's Disease**
- Peptic stricture
- Plummer-Vinson or Paterson-Kelly syndromes
- Presbyesophagus
- Pseudobulbar palsy
- Poliomyelitis
- Poliomyositis
- Post Polio syndrome – muscular atrophy
- * Palate cancer**
- Pallidopyramical syndrome
- Paraganglioma
- * Pharynx cancer**
- Primary lateral sclerosis, adult
- R** Radiation oesophagitis, especially after radiation treatments of 4500 to 6000 rad over 6-8 weeks
- S** Syphilis
- Systemic lupus erythematosus
- Schatzki rings
- Scleroderma
- * Stroke**
- Sensory ataxic neuropathy, dysarthria and ophthalmoparesis
- Shy-Drager syndrome
- Spastic paraplegia 11, autosomal recessive
- Spinal Muscular Atrophy type 1
- Spinocerebellar ataxia 17
- Spinocerebellar ataxia 22
- Spinocerebellar ataxia, autosomal recessive 1
- Striatonigral degeneration infantile
- Supraglottic laryngeal cancer
- T** Traumatic brain injury
- Tetanus
- Tuberculosis
- * Throat cancer**
- Thyroglossal tract cyst
- Thyroid cancer, anaplastic
- * Tongue cancer**
- Tongue conditions
- * Tonsil cancer**
- Tonsil disorders
- U** Ulcers
- V** Vagal Paraganglioma
- W** Wallenberg's syndrome
- Wilson's disease

Our vision

**Provide safe and enjoyable
drinks to dysphagic patients
around the world.**